


MATERIAL: 3003-H14 ALUM. PER QQ-A-250/2
STOCK: 0.032 SHEET
FINISH: EPOXY POLAMIDE PRIMER (MIL-P-23377 C) OR EQUIVALENT.

SHEET	REV	ECO	DATE	DESCRIPTION	APR	CHK
1	A		07/17/91	ADDED -2 PLATE	REB	REB
1,2	B		09/03/91	250 WAS .350, 2.700 WAS 2.600. ADDED FINISH	REB	REB
1,2	C		01/27/93	ADDED 3.14 DIM.	REB	REB
1,2	D		07/01/99	ADDED STOCK: 0.032 SHEET, CHANGED PUNCH OUT QTY FROM 70 TO 68, ON SHEET 2. ADDED 0.830±0.20 & 0.83 (REF) DIM.	PR	LS
1,2	E		04/26/01	ADDED 0.125 & R0.18 TO -2 PLATE	MR	LS
1-3	F		11/26/02	ADDED SH.3, -3 LOUVER PLATE.	GP	LS
1,3	G		03/30/05	ADDED +.015/-0.010 TO 0.250 DIMS, +.1/-0.02 (2 PLCS) WAS ±.02, +.05 (2 PLCS) WAS +.015, +.05/-0.01 (250 DIM) WAS ±.01	REB	LS
1-3	H		05/06/08	01/26/07: ADDED VENDOR P/N's 01/02/08: ADDED 'OR EQUIV' TO FINISH. REMOVED ALT, WAS 'ZINC CHROMATE PRIMER MIL-P-6889A, TYPE 1' 05/06/08: -3/-3V: FINISH WAS EPOXY POLAMIDE PRIMER MIL P 23377C.	REB	LS



-1 LOUVER PLATE
VENDOR P/N 206AC-2511-1V


-CONFIDENTIAL INFORMATION-
THE INFORMATION AND DATA CONTAINED HEREIN
IS PROPRIETARY AND IS SUBMITTED IN CONFIDENCE
AND SHALL NOT BE DISCLOSED, USED OR DUPLICATED
FOR ANY PURPOSE WHATSOEVER WITHOUT THE PRIOR
WRITTEN PERMISSION OF PARAVION TECHNOLOGY, INC.

PROTO

N/C

Paravion® Inc. ✓Technology		TITLE LOUVER PLATE		DRAWING NO. 206AC-2511	
DIMENSIONS IN INCHES		DRAWN BY		APPROVED BY	
TOLERANCES EXCEPT WHERE NOTED:		CHK'D BY		DATE	
.X = ± .1		NLH		REB 01/10/91	
.XX = ± .05				H	
.XXX = ± .010					
ANGLES = ± 1°		DO NOT SCALE DRAWING		SHEET	
THREADS:		© 2008 PARAVION TECH., INC.		1 OF 3	
INTERNAL=CLASS 2B		PARAVION IS A TRADEMARK OF			
EXTERNAL=CLASS 2A		PARAVION TECHNOLOGY, INC.			

MATERIAL: 3003-H14 ALUM. PER QQ-A-250/2
STOCK: 0.032 SHEET
FINISH: EPOXY POLAMIDE PRIMER (MIL-P-23377 C) OR EQUIVALENT.



-2 LOUVER PLATE
VENDOR P/N 206AC-2511-2V



-CONFIDENTIAL INFORMATION-
THE INFORMATION AND DATA CONTAINED HEREIN
IS PROPRIETARY AND IS SUBMITTED IN CONFIDENCE,
AND SHALL NOT BE DISCLOSED, USED OR DUPLICATED
FOR ANY PURPOSE WHATSOEVER WITHOUT THE PRIOR
WRITTEN PERMISSION OF PARAVION TECHNOLOGY, INC.

PROTO
N/C

Paravion® Inc. Technology		TITLE LOUVER PLATE		DRAWING NO. 206AC-2511	
DIMENSIONS IN INCHES TOLERANCES EXCEPT WHERE NOTED:		DRAWN BY	APRVD. BY	CHK'D BY	DATE
.X = ± .1 .XX = ± .05 .XXX = ± .010 ANGLES = ± 1°		NLH	REB	REB	01/10/91
THREADS: INTERNAL=CLASS 2B EXTERNAL=CLASS 2A		DO NOT SCALE DRAWING			REV H
		© 2008 PARAVION TECH., INC. PARAVION IS A TRADEMARK OF PARAVION TECHNOLOGY, INC.			ECO
		SHEET 2 OF 3			

NOTES:

1. MATERIAL: 6061-T6 ALUM. PER QQ-A-250/11
2. STOCK: 0.040 SHEET
3. FINISH: WATERBOURNE PRIMER MIL-P-85582B TYPE 1 CLASS 2 (OR EQUIV.)
4. PERFORATED PLATES MAY BE MANUFACTURED BY: AMETCO MANUFACTURING COMPANY
4326 HAMMANN PKWY
WILLOUGHBY, OH. 44096
800-321-7042



-3 LOUVER PLATE
VENDOR P/N 206AC-2511-3V

-CONFIDENTIAL INFORMATION-
THE INFORMATION AND DATA CONTAINED HEREIN
IS PROPRIETARY AND IS SUBMITTED IN CONFIDENCE;
AND SHALL NOT BE DISCLOSED, USED OR DUPLICATED
FOR ANY PURPOSE WHATSOEVER WITHOUT THE PRIOR
WRITTEN PERMISSION OF PARAVION TECHNOLOGY, INC.

PROTO
2

Paravion® Inc. ✓ Technology		TITLE LOUVER PLATE			DRAWING NO. 206AC-2511	
DIMENSIONS IN INCHES						
TOLERANCES EXCEPT WHERE NOTED:						
.X = ± .1		DRAWN BY GP	APRVD BY GP	CHK'D BY LS	DATE 11/26/02	REV H
.XX = ± .05						ECO
.XXX = ± .010						
ANGLES = ± 1°		DO NOT SCALE DRAWING				SHEET
THREADS:		© 2006 PARAVION TECH., INC. PARAVION IS A TRADEMARK OF PARAVION TECHNOLOGY, INC.				3 OF 3
INTERNAL=CLASS 2B						
EXTERNAL=CLASS 2A						

.X = $\pm .1$
.XX = $\pm .05$
.XXX = $\pm .010$
ANGLES = $\pm 1^\circ$
THREADS:
INTERNAL=CLASS 2B
EXTERNAL=CLASS 2A